- 1. A system for processing signals in a well, comprising:
 - a data source disposed in the well for acquiring data;
 - a component disposed in the well;
- a wireless electronic transmitter disposed in the well and connected to the data source for receiving signals from the data source and transmitting corresponding signals through the component; and

a receiver disposed in the well for receiving the corresponding signals from the transmitter after transmission through the component.

- 2. The system of claim 1 wherein the data acquired by the data source relate to the condition or function of the component.
- 3. The system of claim 2 wherein the component is a packer and the data acquired by the data source relate to fluid leakage across the packer.
- 4. The system of claim 1 further comprising an electrical conductor connected to the receiver for passing the corresponding signals from the receiver uphole or downhole.
- 5. The system of claim 1 wherein the corresponding signals are transmitted via electromagnetic waves.
- 6. The system of claim 1 wherein the corresponding signals are transmitted acoustically.
- 7. The system of claim 1 wherein the transmitter and/or receiver are mounted on, or adjacent to, the component.
- 8. The system of claim 1 wherein the transmitter and/or receiver are embedded in the component.

9. A method for processing signals in a well, comprising the steps of: acquiring data in the well;

transmitting signals corresponding to the data through a component disposed in the well;

receiving the corresponding signals after transmission through the component; and

conducting the corresponding signals from the receiver.

- 10. The method of claim 9 wherein the acquired data relate to the condition or function of the component.
- 11. The method of claim 10 wherein the component is a packer and the data acquired by the data source relate to fluid leakage across the packer.
- 12. The method of claim 9 wherein the signals corresponding to the data are transmitted via electromagnetic waves.
- 13. The method of claim 9 wherein the signals corresponding to the data are transmitted acoustically.

14. A system for processing signals in a well, comprising:

means disposed in the well for acquiring data;

a component disposed in the well;

transmitter means for receiving signals from the means for acquiring data and transmitting corresponding signals through the component; and

receiver means disposed in the well for receiving the corresponding signals after transmission through the component.

- 15. The system of claim 14 wherein the data relate to the condition or function of the component.
- 16. The system of claim 15 wherein the component is a packer and the data relate to fluid leakage across the packer.
- 17. The system of claim 14 further comprising means connected to the receiver means for passing the corresponding signals from the receiver means uphole or downhole.
- 18. The system of claim 14 wherein the data are transmitted via electromagnetic waves.
- 19. The system of claim 14 wherein the data are transmitted acoustically.
- 20. The system of claim 14 wherein the transmitter means and/or the receiver means are mounted on, or adjacent to, the component.
- 21. The system of claim 14 wherein the transmitter means and/or the receiver means are embedded in the component.